

CD Search Index Restart Guide

new world ERP – CD Search Index: Restart Guide



©2017 Tyler Technologies, Inc.

Data used to illustrate the reports and screens may include names of individuals, companies, brands, and products. All of these names are fictitious; any similarities to actual names are entirely coincidental. Further, any illustrations of report formats or screen images are examples only, and reflect how a typical customer would install and use the product.



Contents

Configuring a CD Search Index Restart Task	1
Task Scheduler	1

INTRODUCTION


Welcome to the new world ERP CD Search Index Restart Guide. Designed for system administrators, this guide provides the steps for creating a restart task for the Search Index in the event one is needed.

This guide is available in Microsoft Word to allow you to customize it according to the needs and procedures of your organization.

CONFIGURING A CD SEARCH INDEX RESTART TASK

TASK SCHEDULER

1. On the Application Server, type **Task Scheduler** in the Windows Search to load the Task Scheduler.
2. Create a scheduler task to restart the Search Index and name it something such as **CD Search Index Restart**:
 - a. Go to the **Actions** tab and click **New**.
 - b. Add Stop Service Action:
 - i. Program/Script: **NET**
 - ii. Add Arguments (optional): **STOP "nwLogosSearchIn"**
 - iii. Click **OK** to save the action.



- c. Add Start Service action:
 - i. Program/Script: **NET**
 - ii. Add Arguments (optional): **START "nwLogosSearchIndex"**
 - iii. Click **OK** to save the action.

New Action

You must specify what action this task will perform.

Action: Start a program

Settings


Program/script: NET Browse...

Add arguments (optional): START "nwLogosSearchIndex"


Start in (optional):

OK Cancel

- 3. Make sure the sequence is correct and the stop action precedes the start action:



4. Navigate to the **Triggers** tab:
 - a. Click **New**.
 - b. Add a trigger for **Daily at 1:50 AM**.
 - c. Click **OK**.



5. Update the indexing time from 5:00 AM to 2:00 AM:

- a. Go to this specified location: {InstallDirectory}\New World Systems\Logos.Net\CD\SearchIndex
- b. Copy a backup of the **CD.SearchIndex.exe.config** file to another directory.
- c. Edit **CD.SearchIndex.exe.config** file and set the following in the <indexConfig> tag:
<schedule startTime="02:00"/>

```
<indexConfig>
  <indexer searchUrl="http://localhost:9200" removeIndicesOnStartup="false" runIndexerOnStartup="false" indexUpdatePortNumber="13866"/>
  <schedule startTime="02:00"/>
  <debug verboseRawQueries="false"/>
</indexConfig>
```

- d. Save the file.